

## Bailey's CBD

Sample ID: 2506PML0560.2408

Strain: CBD/CBG 2:1 900mg

Matrix: Ingestible

Type: Tincture

Sample Size: ; Batch:

Produced:

Collected: 06/24/2025

Received: 06/24/2025

Completed: 06/27/2025

Batch#:

Client

Bailey's Wellness LLC

Lic. #

2930 Grace Ln Suite J

Costa Mesa, CA 92626



## Summary

| Test              | Date Tested | Result           |
|-------------------|-------------|------------------|
| Batch             |             | Pass             |
| Cannabinoids      | 06/26/2025  | Pass             |
| Water Activity    | 06/25/2025  | 0.4576 aw - Pass |
| Residual Solvents | 06/25/2025  | Pass             |
| Pesticides        | 06/26/2025  | Pass             |
| Heavy Metals      | 06/25/2025  | Pass             |

Foreign Matter Method: PML-DSLR-600  
Foreign Matter Instrument: DSLR Camera/Image Analysis  
Limit for Foreign Matter: 1/4 of the total sample area covered by sand, soil, cinders, or dirt; 1/4 of the total sample area covered by mold; 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3.0 grams; or 1/4 of the total sample area covered by an imbedded foreign material

## Cannabinoids

Pass

| 0.882 mg/serving<br>Total THC |       |       | 22.586 mg/serving<br>Total CBD |                |                | 35.908 mg/serving<br>Total Cannabinoids |                  |  |
|-------------------------------|-------|-------|--------------------------------|----------------|----------------|-----------------------------------------|------------------|--|
| Analyte                       | LOD   | LOQ   | Result                         | Result         | Result         | Result                                  | Result           |  |
|                               | mg/g  | mg/g  | %                              | mg/g           | mg/mL          | mg/serving                              | mg/container     |  |
| THCa                          | 0.012 | 0.040 | ND                             | ND             | ND             | ND                                      | ND               |  |
| Δ9-THC                        | 0.012 | 0.040 | 0.0882                         | 0.882          | 0.882          | 0.882                                   | 26.460           |  |
| Δ8-THC                        | 0.012 | 0.040 | ND                             | ND             | ND             | ND                                      | ND               |  |
| THCV                          | 0.012 | 0.040 | ND                             | ND             | ND             | ND                                      | ND               |  |
| CBDa                          | 0.012 | 0.040 | 0.0704                         | 0.704          | 0.704          | 0.704                                   | 21.120           |  |
| CBD                           | 0.012 | 0.040 | 2.1969                         | 21.969         | 21.969         | 21.969                                  | 659.070          |  |
| CBDVa                         | 0.012 | 0.040 | ND                             | ND             | ND             | ND                                      | ND               |  |
| CBDV                          | 0.012 | 0.040 | 0.0077                         | 0.077          | 0.077          | 0.077                                   | 2.310            |  |
| CBN                           | 0.012 | 0.040 | 0.0043                         | 0.043          | 0.043          | 0.043                                   | 1.290            |  |
| CBGa                          | 0.012 | 0.040 | 0.0051                         | 0.051          | 0.051          | 0.051                                   | 1.530            |  |
| CBG                           | 0.012 | 0.040 | 1.1303                         | 11.303         | 11.303         | 11.303                                  | 339.090          |  |
| CBC                           | 0.020 | 0.040 | 0.0972                         | 0.972          | 0.972          | 0.972                                   | 29.160           |  |
| CBL                           | 0.012 | 0.040 | ND                             | ND             | ND             | ND                                      | ND               |  |
| <b>Total THC</b>              |       |       | <b>0.0882</b>                  | <b>0.8820</b>  | <b>0.8820</b>  | <b>0.8820</b>                           | <b>26.4600</b>   |  |
| <b>Total CBD</b>              |       |       | <b>2.2586</b>                  | <b>22.5864</b> | <b>22.5864</b> | <b>22.5864</b>                          | <b>677.5922</b>  |  |
| <b>Total</b>                  |       |       | <b>3.5908</b>                  | <b>35.9081</b> | <b>35.9081</b> | <b>35.9081</b>                          | <b>1077.2441</b> |  |

Total THC = Δ9-THC + Δ8-THC + (0.877 × THCa)

Total CBD = CBD + (0.877 × CBDa)

Total Cannabinoids = Σ (Neutral Cannabinoids) + [0.877 × Σ (Acidic Cannabinoids)]

Date Tested: 06/26/2025

Method: PML-HPLC-100

Instrument: UHPLC

1 mL = 1.0g. 30.0 servings per container.

Limit for Edible products:

10 milligrams THC per serving

100 milligrams THC per package

Limit for Topicals and Concentrates:

1,000 milligrams THC per package

**Pass**  
0.4576 aw  
(Limit: 0.8500 aw)  
**Water Activity**

Date Tested: 06/25/2025

Method: PML-AQUA-100

Instrument: METER Group AQUALAB 3



*Han Suk Kim*  
Han Suk Kim, Ph.D  
Laboratory Director  
06/27/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com

This product has been tested by Purity Medical Laboratories using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the sample products as received and tested. Purity Medical Laboratories makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Purity Medical Laboratories. The following abbreviations for Limit of Detection (LOD), Limit of Quantitation (LOQ), and Not Detected (ND) are applied. Uncertainty measurement calculations are not factored into the final results and do not contribute in the decision of a pass/fail for the specified analytes.

## Bailey's CBD

Sample ID: 2506PML0560.2408

Strain: CBD/CBG 2:1 900mg

Matrix: Ingestible

Type: Tincture

Sample Size: ; Batch:

Produced:

Collected: 06/24/2025

Received: 06/24/2025

Completed: 06/27/2025

Batch#:

Client

Bailey's Wellness LLC

Lic. #

2930 Grace Ln Suite J

Costa Mesa, CA 92626

## Category I Pesticides

Pass

| Analyte      | LOD    | LOQ    | Limit  | Result | Status | Analyte          | LOD    | LOQ    | Limit  | Result | Status |
|--------------|--------|--------|--------|--------|--------|------------------|--------|--------|--------|--------|--------|
|              | µg/g   | µg/g   | µg/g   | µg/g   |        |                  | µg/g   | µg/g   | µg/g   | µg/g   |        |
| Aldicarb     | 0.0142 | 0.0431 | 0.0142 | ND     | Pass   | Fenoxycarb       | 0.0162 | 0.049  | 0.0162 | ND     | Pass   |
| Carbofuran   | 0.0177 | 0.0535 | 0.0177 | ND     | Pass   | Fipronil         | 0.0041 | 0.0125 | 0.0041 | ND     | Pass   |
| Chlordane    | 0.0206 | 0.0625 | 0.0206 | ND     | Pass   | Imazalil         | 0.0216 | 0.0654 | 0.0216 | ND     | Pass   |
| Chlorfenapyr | 0.0206 | 0.0625 | 0.0206 | ND     | Pass   | Methiocarb       | 0.0092 | 0.0278 | 0.0092 | ND     | Pass   |
| Chlorpyrifos | 0.0103 | 0.0313 | 0.0103 | ND     | Pass   | Mevinphos        | 0.0303 | 0.0918 | 0.0303 | ND     | Pass   |
| Coumaphos    | 0.0134 | 0.0407 | 0.0134 | ND     | Pass   | Paclobutrazol    | 0.0167 | 0.0505 | 0.0167 | ND     | Pass   |
| Daminozide   | 0.0107 | 0.0323 | 0.0107 | ND     | Pass   | Parathion Methyl | 0.0272 | 0.0825 | 0.0272 | ND     | Pass   |
| Dichlorvos   | 0.0222 | 0.0672 | 0.0222 | ND     | Pass   | Propoxur         | 0.0082 | 0.0249 | 0.0082 | ND     | Pass   |
| Dimethoate   | 0.0048 | 0.02   | 0.0048 | ND     | Pass   | Spiroxamine      | 0.0106 | 0.0322 | 0.0106 | ND     | Pass   |
| Ethoprophos  | 0.0066 | 0.0201 | 0.0066 | ND     | Pass   | Thiacloprid      | 0.0067 | 0.0203 | 0.0067 | ND     | Pass   |
| Etofenprox   | 0.0048 | 0.02   | 0.0048 | ND     | Pass   |                  |        |        |        |        |        |

## Category II Pesticides

Pass

| Analyte             | LOD    | LOQ    | Limit | Result | Status | Analyte                 | LOD    | LOQ    | Limit | Result | Status |
|---------------------|--------|--------|-------|--------|--------|-------------------------|--------|--------|-------|--------|--------|
|                     | µg/g   | µg/g   | µg/g  | µg/g   |        |                         | µg/g   | µg/g   | µg/g  | µg/g   |        |
| Abamectin           | 0.0106 | 0.0321 | 0.3   | ND     | Pass   | Kresoxim Methyl         | 0.0148 | 0.0447 | 1     | ND     | Pass   |
| Acephate            | 0.0066 | 0.02   | 5     | ND     | Pass   | Malathion               | 0.0249 | 0.0756 | 5     | ND     | Pass   |
| Acequinocyl         | 0.0064 | 0.02   | 4     | ND     | Pass   | Metalaxyl               | 0.0039 | 0.02   | 15    | ND     | Pass   |
| Acetamiprid         | 0.0063 | 0.02   | 5     | ND     | Pass   | Methomyl                | 0.011  | 0.0335 | 0.1   | ND     | Pass   |
| Azoxystrobin        | 0.007  | 0.0214 | 40    | ND     | Pass   | Myclobutanil            | 0.0164 | 0.0498 | 9     | ND     | Pass   |
| Bifenazate          | 0.0079 | 0.0238 | 5     | ND     | Pass   | Naled                   | 0.0097 | 0.0294 | 0.5   | ND     | Pass   |
| Bifenthrin          | 0.0063 | 0.02   | 0.5   | ND     | Pass   | Oxamyl                  | 0.0135 | 0.0409 | 0.2   | ND     | Pass   |
| Boscalid            | 0.0163 | 0.0495 | 10    | ND     | Pass   | Pentachloronitrobenzene | 0.0041 | 0.0125 | 0.2   | ND     | Pass   |
| Captan              | 0.2063 | 0.625  | 5     | ND     | Pass   | Permethrin              | 0.0069 | 0.021  | 20    | ND     | Pass   |
| Carbaryl            | 0.014  | 0.0423 | 0.5   | ND     | Pass   | Phosmet                 | 0.0099 | 0.0301 | 0.2   | ND     | Pass   |
| Chlorantraniliprole | 0.0104 | 0.0314 | 40    | ND     | Pass   | Piperonyl Butoxide      | 0.0291 | 0.0883 | 8     | ND     | Pass   |
| Clofentezine        | 0.0131 | 0.0396 | 0.5   | ND     | Pass   | Prallethrin             | 0.0235 | 0.0712 | 0.4   | ND     | Pass   |
| Cyfluthrin          | 0.2063 | 0.625  | 1     | ND     | Pass   | Propiconazole           | 0.0268 | 0.0812 | 20    | ND     | Pass   |
| Cypermethrin        | 0.0206 | 0.0625 | 1     | ND     | Pass   | Pyrethrins              | 0.0156 | 0.0473 | 1     | ND     | Pass   |
| Diazinon            | 0.0075 | 0.0228 | 0.2   | ND     | Pass   | Pyridaben               | 0.0043 | 0.02   | 3     | ND     | Pass   |
| Dimethomorph        | 0.0104 | 0.0316 | 20    | ND     | Pass   | Spinetoram              | 0.0054 | 0.0165 | 3     | ND     | Pass   |
| Etioazale           | 0.0069 | 0.0209 | 1.5   | ND     | Pass   | Spinosad                | 0.005  | 0.0152 | 3     | ND     | Pass   |
| Fenhexamid          | 0.0164 | 0.0498 | 10    | ND     | Pass   | Spiromesifen            | 0.0161 | 0.0487 | 12    | ND     | Pass   |
| Fenpyroximate       | 0.0056 | 0.02   | 2     | ND     | Pass   | Spirotetramat           | 0.0176 | 0.0532 | 13    | ND     | Pass   |
| Flonicamid          | 0.0159 | 0.0482 | 2     | ND     | Pass   | Tebuconazole            | 0.0202 | 0.0613 | 2     | ND     | Pass   |
| Fludioxonil         | 0.0127 | 0.0386 | 30    | ND     | Pass   | Thiamethoxam            | 0.0077 | 0.0234 | 4.5   | ND     | Pass   |
| Hexythiazox         | 0.0088 | 0.0266 | 2     | ND     | Pass   | Trifloxystrobin         | 0.0112 | 0.034  | 30    | ND     | Pass   |
| Imidacloprid        | 0.0097 | 0.0295 | 3     | ND     | Pass   |                         |        |        |       |        |        |

Date Tested: 06/26/2025  
Method: PML-LCGCTQ-300  
Instruments: LC-MS/MS, GC-TQ



  
Han Suk Kim, Ph.D  
Laboratory Director  
06/27/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com

This product has been tested by Purity Medical Laboratories using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the sample products as received and tested. Purity Medical Laboratories makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Purity Medical Laboratories. The following abbreviations for Limit of Detection (LOD), Limit of Quantitation (LOQ), and Not Detected (ND) are applied. Uncertainty measurement calculations are not factored into the final results and do not contribute in the decision of a pass/fail for the specified analytes.

## Bailey's CBD

Sample ID: 2506PML0560.2408

Strain: CBD/CBG 2:1 900mg

Matrix: Ingestible

Type: Tincture

Sample Size: ; Batch:

Produced:

Collected: 06/24/2025

Received: 06/24/2025

Completed: 06/27/2025

Batch#:

Client

**Bailey's Wellness LLC**

Lic. #

2930 Grace Ln Suite J

Costa Mesa, CA 92626

## Heavy Metals

Pass

| Analyte | LOD    | LOQ  | Limit | Mass | Status |
|---------|--------|------|-------|------|--------|
|         | µg/g   | µg/g | µg/g  | µg/g |        |
| Arsenic | 0.0086 | 0.2  | 1.5   | ND   | Pass   |
| Cadmium | 0.0003 | 0.2  | 0.5   | ND   | Pass   |
| Lead    | 0.0036 | 0.2  | 0.5   | <LOQ | Pass   |
| Mercury | 0.0029 | 0.02 | 3     | ND   | Pass   |

Date Tested: 06/25/2025  
Method: PML-ICPMS-100  
Instrument: ICP-MS



  
Han Suk Kim, Ph.D  
Laboratory Director  
06/27/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)

This product has been tested by Purity Medical Laboratories using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the sample products as received and tested. Purity Medical Laboratories makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Purity Medical Laboratories. The following abbreviations for Limit of Detection (LOD), Limit of Quantitation (LOQ), and Not Detected (ND) are applied. Uncertainty measurement calculations are not factored into the final results and do not contribute in the decision of a pass/fail for the specified analytes.

## Bailey's CBD

Sample ID: 2506PML0560.2408

Strain: CBD/CBG 2:1 900mg

Matrix: Ingestible

Type: Tincture

Sample Size: ; Batch:

Produced:

Collected: 06/24/2025

Received: 06/24/2025

Completed: 06/27/2025

Batch#:

Client

**Bailey's Wellness LLC**

Lic. #

2930 Grace Ln Suite J

Costa Mesa, CA 92626

### Category I Residual Solvents

Pass

| Analyte            | LOD  | LOQ  | Limit | Result | Status |
|--------------------|------|------|-------|--------|--------|
|                    | µg/g | µg/g | µg/g  | µg/g   |        |
| 1,2-Dichloroethane | 0.17 | 0.58 | 1.00  | ND     | Pass   |
| Benzene            | 0.10 | 0.34 | 1.00  | ND     | Pass   |
| Chloroform         | 0.16 | 0.55 | 1.00  | ND     | Pass   |
| Ethylene Oxide     | 0.23 | 0.77 | 1.00  | ND     | Pass   |
| Methylene Chloride | 0.19 | 0.62 | 1.00  | ND     | Pass   |
| Trichloroethylene  | 0.15 | 0.49 | 1.00  | ND     | Pass   |

### Category II Residual Solvents

Pass

| Analyte       | LOD   | LOQ    | Limit   | Result | Status |
|---------------|-------|--------|---------|--------|--------|
|               | µg/g  | µg/g   | µg/g    | µg/g   |        |
| Acetone       | 47.50 | 158.44 | 5000.00 | ND     | Pass   |
| Acetonitrile  | 61.33 | 204.58 | 410.00  | ND     | Pass   |
| Butane        | 91.27 | 304.43 | 5000.00 | ND     | Pass   |
| Ethanol       | 41.33 | 137.87 | 5000.00 | ND     | Pass   |
| Ethyl Acetate | 37.90 | 126.42 | 5000.00 | ND     | Pass   |
| Ethyl Ether   | 49.53 | 165.21 | 5000.00 | ND     | Pass   |
| Heptane       | 43.84 | 146.25 | 5000.00 | ND     | Pass   |
| n-Hexane      | 47.05 | 156.94 | 290.00  | ND     | Pass   |
| Isopropanol   | 46.59 | 155.39 | 5000.00 | ND     | Pass   |
| Methanol      | 58.19 | 194.11 | 3000.00 | ND     | Pass   |
| Pentane       | 57.82 | 192.87 | 5000.00 | ND     | Pass   |
| Propane       | 69.16 | 230.68 | 5000.00 | ND     | Pass   |
| Toluene       | 26.92 | 89.80  | 890.00  | ND     | Pass   |
| Xylenes       | 56.10 | 187.12 | 2170.00 | ND     | Pass   |

Date Tested: 06/25/2025  
Method: PML-GCMSD-300  
Instrument: GC-MSD



  
Han Suk Kim, Ph.D  
Laboratory Director  
06/27/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com

This product has been tested by Purity Medical Laboratories using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the sample products as received and tested. Purity Medical Laboratories makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Purity Medical Laboratories. The following abbreviations for Limit of Detection (LOD), Limit of Quantitation (LOQ), and Not Detected (ND) are applied. Uncertainty measurement calculations are not factored into the final results and do not contribute in the decision of a pass/fail for the specified analytes.